

# ATKINS, Borg-Warner **Silver Steel** Complete Line of **QUALITY HAND SAWS**

**Only ATKINS gives you these  
famous QUALITY FEATURES**

## ① SILVER STEEL

Based on metallurgical discoveries and specifications developed throughout a century of saw manufacturing progress.

## ② PERFECTION HANDLE

A natural grip with no wrist strain. You get more cuts . . . truer, straighter cuts . . . with less effort.

## ③ BWA COATING

Insures long-lasting, lustrous finishes. Fingerprints wipe right off! Stock damage from rust or salt air is eliminated. Oil and grease free.



## ATKINS TAPER GRIND

Atkins Taper Grinding is precision controlled to produce a gradual tapered thickness from the cutting edge to the back of the blade. Resembling an inverted wedge, the blade follows easily into the kerf. Excessive set is not required; there is no buckling or bending of the blade.

Atkins Taper Grind should not be confused with saws ground an even thickness at the tooth edge and simply dubbed off thinner at the back.

### NO. 51—SKEW BACK



Silver Steel construction. Taper ground. Apple-stained, hardwood Perfection Handle trimmed with nicked screws and medallion. High gloss Damaskeen finish, ribbon edge. BWA coated. The oldtimer's favorite!

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
20"	10	—	1½"	5¼"	15 oz.
26"	8	—	2½"	6¾"	1 lb.-9 oz.

### NO. 400—STRAIGHT BACK



Made for those who want only the finest. The combined experience of generations of craftsmen is embodied in the design, balance, and quality of this distinguished saw.

Silver Steel construction. Taper Ground. Needs little set for fast, free, easy cutting. American Black Walnut Perfection Handle, trimmed with nicked screws and medallion. Mirror finish, ribbon edge. BWA coated.

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
26"	8, 10, 12	5½	1¾"	6½"	1 lb.-13 oz.

### NO. 65—STRAIGHT BACK



Preferred by experienced carpenters and craftsmen who appreciate high quality tools. A Fast Seller!

Silver Steel construction. Taper Ground. Apple stained, full-carved, hardwood Perfection Handle trimmed with nicked screws and medallion. High gloss Damaskeen finish, ribbon edge. BWA coated.

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
16"	10	—	1¾"	4¾"	11 oz.
20"	10	—	1½"	5¼"	15 oz.
26"	8, 10, 12	5½	1¾"	6½"	1 lb.-11 oz.

### NO. A-1—STRAIGHT BACK



A quality saw at lowest price. Special Steel construction. Taper Ground. Clear finish, carved hardwood, Perfection Handle with nicked screws and medallion. Set and filed. High polish. BWA coated.

Length	Cut-Off Points	Rip Points	Width Point	Width Butt	Weight
16"	10	—	1¾"	4¾"	10 oz.
20"	10	—	1½"	5¼"	1 lb.
26"	8	—	1¾"	6¼"	1 lb.-10 oz.

## HAND SAW ITEMS NOT ILLUSTRATED

**No. 54 Straight Back**—A heavy-duty, narrow point saw for rough cutting. Silver Steel, 26" length; Wt. 1 lb. 11 oz.

**No. 500 Stainless Steel**—Can't rust or corrode; 11-ply marine plywood handle. Can be resharpened. 26" length; Weight 1 lb.-13 oz.

**No. 75 Junior Mechanic**—Special Steel construction; ideal

size for home or apartment. 20", Weight, 17 oz.

**No. A-2 Straight Back**—Competitively priced; Special Steel construction, taper ground; a good mover! 26", Weight 1 lb.-10 oz.

**No. A-100 Straight Back**—Rugged, Special Steel Construction. Priced low for home-owners' all 'round use. 26", Weight 1 lb.-10 oz.

Call your Distributor for ATKINS Complete Hardware Catalog



**ATKINS SAW DIVISION**  
**BORG-WARNER CORPORATION**  
INDIANAPOLIS 9, INDIANA



# ATKINS, Borg-Warner SilverSteel<sup>®</sup>

## COMPASS, KEYHOLE and NEST-OF-SAWS

### NO. 10—COMPASS SAW



For carpenters and craftsmen who want the finest in wood cutting compass saws. A good stock item.

**Silver Steel** construction. Hardwood handle with thumb screw blade fastener for interchange of blades. Trimmed with nickeled screw. Polished finish.

Length	Points	Weight
12"	8	½ lb.
14"	8	½ lb.

### NO. 6—KEYHOLE SAW



A sturdy blade, professional saw that will give years of service.

**Silver Steel** construction. Hardwood handle trimmed with nickeled screw and medallion. Polished finish.

Length	Points	Weight
10"	10	¼ lb.

### NO. 37—COMPASS SAW



Patented pistol grip, black Tenite handle has index finger hole for firm grip, "aimed control" in cutting. This saw is a favorite of home craftsmen. A good mover.

**Silver Steel** construction. Handle trimmed with nickeled screws. Polished finish.

Length	Points	Weight
12"	8	½ lb.
14"	8	½ lb.

### NO. 36—NEST-OF-SAWS



Blades of this set are the same as in No. 4, but set is furnished with the patented "aimed control" pistol grip, black Tenite handle.

**Silver Steel** construction. Handle trimmed with nickeled screw and thumb screw blade fastener. Weight per set—¾ lb.

### OTHER ITEMS NOT ILLUSTRATED:

No. 9 Compass Saw—**Silver Steel**; thumb screw blade fastener for rapid blade change; heavy duty blade. 12" and 14", Weight ½ lb.

No. 38 Compass Saw—**Silver Steel**; combination light metal and wood cutting saw; pistol grip with thumb screw blade fastener. 12" and 14", Weight ½ lb.

No. 8 Compass Saw—**Special Steel**; low cost for homeowners;

thumb screw blade fastener. 12" and 14", Weight ½ lb.

No. 39 Keyhole Saw—**Silver Steel**; same as No. 6 except with patented pistol grip. 10", Weight, ¼ lb.

No. 4 Nest-of-Saws—**Silver Steel**; multi-purpose set . . . 14" nail, 12" compass and 10" keyhole blades; thumb screw fastener. Weight per set, 1 lb.

## ATKINS SPECIAL PURPOSE SAWS

### NO. 1—MITRE BOX SAW



Preferred by professional carpenters and mitre box manufacturers.

**Silver Steel** construction. Hardwood handle trimmed with nickeled screws and medallion. Polished finish. BWA coated.

Length	Width Under Back	Points	Weight
22"	4"	15	3 lb.
24"	4"	11	3¼ lb.
26"	4"	11	3½ lb.
28"	5"	11	4 lb.
30"	6"	11	4½ lb.

No. 24 Cable Saw—**Silver Steel**; double edged blade for cutting wood, soft metals, cable insulation, etc. 12", Weight 1 lb.

### NO. 3—BACK SAW



A high quality back saw that should be part of every home workshop. A good stock item.

**Special Steel** construction. Hardwood handle trimmed with nickeled screws. Polished finish.

Length	Width Under Back	Points	Weight
10"	2½"	14	1 lb.
12"	3 "	14	1½ lb.
14"	3½"	14	1¾ lb.

No. 10 Plumbers Saw—**Silver Steel**; for cutting lead, soil and gas pipe, sheet metal and wood. 16", Weight, 1 lb.

Call your Distributor for ATKINS Complete Hardware Catalog



# ATKINS SAW DIVISION

## BORG-WARNER CORPORATION

INDIANAPOLIS 9, INDIANA



# ATKINS, Borg-Warner PRUNING SAWS

## NO. 3—DUPLEX PRUNER




Dual purpose, light weight pruning saws with fine peg teeth on one edge for small branches, small Tuttle teeth on other edge for large limbs. Every home owner should have one. A good mover.

No. 3 Pruner has **Silver Steel** construction. Flat ground. Natural finish, hardwood handle, trimmed with nickeled screws. Polished finish.

Length	Cut-Off Points	Width Point	Width Butt	Weight
18"	8	3/4"	2 3/4"	3/4 lb

## NO. 40—TUTTLE TOOTH PRUNER



Same style as No. 41 Pruner but with the famous, fast-cutting Tuttle Tooth design. A handy all-purpose saw for camping and summer cottage use.

**Silver Steel** construction. Flat ground. Natural finish hardwood, special pattern plywood handle, trimmed with nickeled screws. Polished finish.

Length	Width Point	Width Butt	Weight
24"	1 1/2"	5 3/4"	1 1/2 lb
20"	1 1/8"	5"	1 1/4 lb

## NO. 20—CURVED PRUNER



A favorite in the citrus groves and vineyards where fast cutting of thin limbs is necessary. Women love this pruner.

**Silver Steel** construction. Flat ground. Hardwood, new style handle trimmed with nickeled screws. Polished finish.

Length	Cut-Off Points	Width Point	Width Butt	Weight
14"	7	1/4"	1 1/2"	1/2 lb

## SF-1—SILVER FLASH PRUNER



Smaller teeth but of same design as No. SF-3-14. Quick detachable pistol grip handle. Blade fits Atkins No. 16 Pole Pruner Socket.

**Silver Steel** construction. Flat ground. Hardwood plywood handle with nickeled rivet and wing nut. Polished finish. Furnished with Atkins No. 36 filing gauge.

Length	Width Point	Width Butt	Weight
16"	1 3/8"	3"	1 lb

## SILVER FLASH FILING GAUGES



Designed particularly for Atkins Silver Flash pruning saws. Precision made raker guides insure correct fitting and gauging with every sharpening.

## CORRECT GAUGES FOR ATKINS SILVER FLASH SAWS

SF-3-14—Gauge No. 35	SF-1 —Gauge No. 36
SF-3 —Gauge No. 35	SF-6 —Gauge No. 38

## NO. 18—FOLDING PRUNER



Fine tooth pruner with sure grip handle. Folds for pocket carrying and tool box storage.

**Silver Steel** construction. Flat ground. Hardwood handle with stop rivet and wing nut. Polished finish. Folds to 14".

Length	Cut-Off Points	Width Point	Width Butt	Weight
12"	8	1/2"	1 3/8"	1/2 lb

## PRUNING SAW ITEMS NOT ILLUSTRATED

No. SF 3-14 Silver Flash Pruner—**Silver Steel**; extra large teeth and gullets for fast cutting of large limbs. Preferred by utilities and tree surgeons. Length, 26", Weight 1 1/4 lbs.

No. 16 Pole Tree Pruner—**Silver Steel**; fits standard clothes pole or garden tool handle. Cast aluminum socket with bolt and wing nut. Length 16", Weight 1 1/4 lb.

No. 120 Curved Pruner—**Silver Steel**; peg tooth design for fine cutting. Used for fruit tree pruning. 14", Weight 1/2 lb.

No. 23 Long Handle Pruner—**Silver Steel**; for close trimming requiring long reach. 14" blade, 25" overall. Weight 1/2 lb.

No. 22 Curved Pruner—**Silver Steel**; rip tooth design for heavy limbs; cuts on the pull. Excellent for farm or ranch. 18" and 22", Weight 1 lb.

No. 17 Forest Pruner—**Silver Steel**; professional saw with extra large peg teeth. 26", Weight 1 1/4 lb.

No. 24 Folding Pruner—**Silver Steel**; fast cutting for small branches. Folds safe to tool box. 10", Weight 1/2 lb.

Call your Distributor for ATKINS Complete Hardware Catalog



**ATKINS SAW DIVISION**  
**BORG-WARNER CORPORATION**  
 INDIANAPOLIS 9, INDIANA



# ATKINS, Borg-Warner MECHANIC-KUT CIRCULAR SAWS


ATKINS Mechanic-Kut Circular Saws are packaged with extra bushings for optional arbor sizes. For example, on saws of 6, 7 and 8" diameters, the hole size is  $\frac{5}{8}$ " with a  $\frac{1}{2}$ " bushing furnished. Optional bushings eliminate duplicate inventories and

reduce possibility of error in customer's specifications. ATKINS Mechanic-Kut Saws are available for use on power tools of leading manufacturers, built to exact specifications in arbor shapes and sizes (as shown in ATKINS complete catalog).



**No. 6-A Combination**

Specially tensioned for narrow kerf and even edges. Set and hand-filed for rip or crosscut. Diameters: 6", 6 $\frac{1}{2}$ ", 7", 8", 9" and 10". Holes:  $\frac{1}{2}$ ",  $\frac{5}{8}$ ",  $\frac{3}{4}$ ".



**No. A-8 Cut-Off Saw**

Precision set teeth, bevel filed for smooth, easy feed cutting across the grain. Diameters: 6", 7", 8", 9" and 10". Holes:  $\frac{1}{2}$ ",  $\frac{5}{8}$ " and  $\frac{3}{4}$ ".



**No. A-37 Mitre Saw**

One of the finest saws made for mitre cutting. Rips, cross-cuts and mitres with ease. Set and filed. Diameters: 6" to 10". Holes:  $\frac{1}{2}$ ",  $\frac{5}{8}$ " and  $\frac{3}{4}$ ".




**No. 3 Dado Set**

Six cutter blades permit groove cutting in 9 different widths. 6" diameter,  $\frac{5}{8}$ " holes. Includes 2 outside cutters and 4 inside cutters.


## ATKINS HACKSAW FRAMES AND BLADES

### NO. 10—ATKINS' FINEST HACKSAW FRAME



Corrosion-proof, polished nickel frame with  $3\frac{3}{8}$ " throat, adjustable for 10" or 12" blades. Yellow plastic handle. Blade holding bolts are adjustable to four positions. Front bolt is equipped with safety clip and rear bolt has wing nut and locking nut. Each frame is individually packed and equipped with ATKINS blue lacquered steel blade. Weight, 1 $\frac{3}{4}$  lbs.

### NO. 15—ATKINS' NEW TUBULAR FRAME



Fine looking, well balanced frame of tubular steel, featuring the popular knuckle-guard design and blue acetate handle. Frame is polished chrome on nickel with 4" throat, adjustable for 10" and 12" blades. Blade bolts have safety clip and star-wheel locking nut. Adjustable thumb rest for 2-hand use. Individually packed and equipped with ATKINS blue lacquered steel blade. Weight, 1 $\frac{3}{4}$  lbs.

**ALSO: No. 111 Medium Priced Popular Frame**—Made for general purpose home use. Bright nickel frame with 3" throat. Open pistol grip design; adjusts for 10" or 12" blade.

### TUNGSTEN—HIGH SPEED—ALL HARD



For cutting hard, extra tough steels and highly abrasive materials, these Silver Steel blades are unexcelled. They cut easier and hold cutting edges longer; should not be confused with cheap, short-life blades. Furnished in Raker Set and Wave Set teeth.

### MOLYBDENUM—HIGH SPEED—FLEXIBLE BACK



Of the same quality as ATKINS Silver Steel Molybdenum—High-Speed—All Hard blades, but with a flexible back for use in limited space or wherever twisting or cramping of the blade may be expected. Has that extra "give" to hold breakage to a minimum.

Furnished in Raker Set and Wave Set teeth.

### MOLYBDENUM—HIGH SPEED—ALL HARD



Silver Steel alloyed with molybdenum gives these blades strength and cutting qualities ideal for ferrous and nonferrous materials. General purpose blades of this calibre are excellent stock items.

Furnished in Raker Set and Wave Set teeth.

### STANDARD—FLEXIBLE BACK—HARD EDGE



You'll find it hard to keep these blades in stock! An inexpensive blade, heat treated and carefully made to give easy, clean cutting and excellent service. Priced to compete with blades that are simply cold steel stamped. Furnished in Raker Set and Wave Set teeth.

Call your Distributor for ATKINS Complete Hardware Catalog



**ATKINS SAW DIVISION**  
**BORG-WARNER CORPORATION**  
INDIANAPOLIS 9, INDIANA